



# Jager Pipe Water hdpe pipes for drinking water

**Polyethylene pipes are a highly versatile, reliable product family that has been used for decades in pipelines. Thanks to its excellent performance and durability, it is still the material of choice in today's drinking water networks, where safety, flexibility and long life are essential.**

**JPW pipes have the advantage of a smooth internal surface that reduces friction, corrosion resistance, leak-proof welded joints, as well as flexibility and fatigue resistance. Their light weight makes them easy to move and install, which ensures quick installation and lower costs. With a lifetime of up to 50-100 years, stable water quality and minimal maintenance requirements, they provide an economical and environmentally friendly solution for drinking water supply.**



**Made in Hungary**

<b>Standard packaging in coils</b>	<b>100 m</b>
<b>Standard packaging in threads</b>	<b>6 m and 12 m</b>
<b>Colour</b>	<b>Black, blue line</b>
<b>Standard</b>	<b>MSZ EN 12201</b>





## Jager Pipe Water - 10 bar

Name	Diameter	Pressure	Thickness	SDR	Material
<b>JPW 25/10</b>	<b>25 mm</b>	<b>10 bar</b>	<b>2,0 mm</b>	<b>11</b>	<b>PE100</b>
<b>JPW 32/10</b>	<b>32 mm</b>	<b>10 bar</b>	<b>2,0 mm</b>	<b>11</b>	<b>PE100</b>
<b>JPW 40/10</b>	<b>40 mm</b>	<b>10 bar</b>	<b>2,4 mm</b>	<b>11</b>	<b>PE100</b>
<b>JPW 50/10</b>	<b>50 mm</b>	<b>10 bar</b>	<b>3,0 mm</b>	<b>11</b>	<b>PE100</b>
<b>JPW 63/10</b>	<b>63 mm</b>	<b>10 bar</b>	<b>3,8 mm</b>	<b>11</b>	<b>PE100</b>
<b>JPW 75/10</b>	<b>70 mm</b>	<b>10 bar</b>	<b>4,5 mm</b>	<b>11</b>	<b>PE100</b>
<b>JPW 90/10</b>	<b>90 mm</b>	<b>10 bar</b>	<b>5,4 mm</b>	<b>11</b>	<b>PE100</b>
<b>JPW 110/10</b>	<b>110 mm</b>	<b>10 bar</b>	<b>6,6 mm</b>	<b>11</b>	<b>PE100</b>
<b>JPW 125/10</b>	<b>125 mm</b>	<b>10 bar</b>	<b>7,4 mm</b>	<b>11</b>	<b>PE100</b>



green@iqgreen.hu



+36 30 925 3038



www.iqgreen.hu



## Jager Pipe Water - 16 bar

Name	Diameter	Pressure	Thickness	SDR	Material
<b>JPW 25/16</b>	<b>25 mm</b>	<b>16 bar</b>	<b>2,3 mm</b>	<b>17</b>	<b>PE100</b>
<b>JPW 32/16</b>	<b>32 mm</b>	<b>16 bar</b>	<b>3,0 mm</b>	<b>17</b>	<b>PE100</b>
<b>JPW 40/16</b>	<b>40 mm</b>	<b>16 bar</b>	<b>3,7 mm</b>	<b>17</b>	<b>PE100</b>
<b>JPW 50/16</b>	<b>50 mm</b>	<b>16 bar</b>	<b>4,6 mm</b>	<b>17</b>	<b>PE100</b>
<b>JPW 63/16</b>	<b>63 mm</b>	<b>16 bar</b>	<b>5,8 mm</b>	<b>17</b>	<b>PE100</b>
<b>JPW 75/16</b>	<b>70 mm</b>	<b>16 bar</b>	<b>6,8 mm</b>	<b>17</b>	<b>PE100</b>
<b>JPW 90/16</b>	<b>90 mm</b>	<b>16 bar</b>	<b>8,2 mm</b>	<b>17</b>	<b>PE100</b>
<b>JPW 110/16</b>	<b>110 mm</b>	<b>16 bar</b>	<b>10 mm</b>	<b>17</b>	<b>PE100</b>
<b>JPW 125/16</b>	<b>125 mm</b>	<b>16 bar</b>	<b>11,4 mm</b>	<b>17</b>	<b>PE100</b>



green@iqgreen.hu



+36 30 925 3038



www.iqgreen.hu