



IQgreen

Jager Pipe Water hdpe pipes for agriculture


Polyethylene tubes are a highly versatile and reliable product family that has been used in piping applications for decades. Thanks to their outstanding performance and durability, they are still today the first choice in agriculture, where safety, flexibility and long life are essential.

The advantages of JPW pipes include a smooth internal surface that reduces friction, resistance to corrosion, and flexibility and fatigue resistance. Their light weight makes them easy to move and install, resulting in quick installation and lower construction costs. They have a lifespan of up to 50-100 years, providing stable water quality and minimal maintenance requirements, making them an economical and environmentally friendly solution for irrigation.



Made in Hungary

Standard packaging in coils	100 m
Standard packaging in threads	6 m and 12 m
Colour	Black, green line
Standard	MSZ EN 12201





Jager Pipe Water - 10 bar

Name	Diameter	Pressure	Thickness	SDR	Material
JPW 25/10	25 mm	10 bar	2,0 mm	11	PE100
JPW 32/10	32 mm	10 bar	2,0 mm	11	PE100
JPW 40/10	40 mm	10 bar	2,4 mm	11	PE100
JPW 50/10	50 mm	10 bar	3,0 mm	11	PE100
JPW 63/10	63 mm	10 bar	3,8 mm	11	PE100
JPW 75/10	70 mm	10 bar	4,5 mm	11	PE100
JPW 90/10	90 mm	10 bar	5,4 mm	11	PE100
JPW 110/10	110 mm	10 bar	6,6 mm	11	PE100
JPW 125/10	125 mm	10 bar	7,4 mm	11	PE100



green@iqgreen.hu



+36 30 925 3038



www.iqgreen.hu



Jager Pipe Water - 16 bar

Name	Diameter	Pressure	Thickness	SDR	Material
JPW 25/16	25 mm	16 bar	2,3 mm	17	PE100
JPW 32/16	32 mm	16 bar	3,0 mm	17	PE100
JPW 40/16	40 mm	16 bar	3,7 mm	17	PE100
JPW 50/16	50 mm	16 bar	4,6 mm	17	PE100
JPW 63/16	63 mm	16 bar	5,8 mm	17	PE100
JPW 75/16	70 mm	16 bar	6,8 mm	17	PE100
JPW 90/16	90 mm	16 bar	8,2 mm	17	PE100
JPW 110/16	110 mm	16 bar	10 mm	17	PE100
JPW 125/16	125 mm	16 bar	11,4 mm	17	PE100



green@iqgreen.hu



+36 30 925 3038



www.iqgreen.hu